



赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望

HZXL-L SF6 定量检漏仪

产
品
说
明
书

武汉赫兹电力设备有限公司



赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望





赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望







SF6 Leak Detector


With Fine Equipped Power Grid

VRB 3A1409-1



SF6含量：----- PPM	测量曲线
温度：0.0 °C	历史数据
湿度：0.0 %	保存数据
状态：01:18(初始化中...)	系统设置
时间：2014-08-08 08:08:18 90%	打印数据





编号: 1 总条数: 1000
时间: 2014-08-08 08:08:18



SF6含量: 18.2 PPM
温度: 20.8 °C
湿度: 50.2 %


上一条 下一条


时间: 2014-08-08 08:08:18 90%



删除本条
格式化
返回测量
打印数据

Detailed description: A data entry screen showing a list of items. The current item is selected and its details are displayed: ID 1, total 1000 items, date 2014-08-08 08:08:18, SF6 content 18.2 PPM, temperature 20.8 °C, and humidity 50.2%. Navigation buttons for '上一条' (Previous) and '下一条' (Next) are present. A vertical menu on the right offers actions: '删除本条' (Delete this item), '格式化' (Format), '返回测量' (Return to measurement), and '打印数据' (Print data). The status bar at the bottom shows the date, time, and a 90% battery level.













赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望

