




赫兹电力


产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望





ZGF-B-60kV/3mA





ZGF-B-60kV/3mA

AI PWM

PWM

AI

AI

1
2
3
4
0.2%
5
6


AI PWM

PWM


		60/3
(kV)		60
(mA)		3.000
(W)		180
(kg)		4.5
(kg)		4.5
(mm)		440
	± (1.0% 1)	
	± (1.0% 1)	
	0.2%	



	$\pm 10\%$	1%
		10% 10
	1.25	
	50Hz	220V \pm 10%
		30
	1.1	10
	-10	+40
		25 85%
		1500
	1.5	



1



225

027-83267669



- 1.
- 2.
- 3.
- 4. /
- 5. USB
- 6.
- 7.
- 8.
- 9.
- 10.

1

2

3

4

5 USB

6

7

8

9

10



赫兹电力
HERTZ POWER

(220V± 10

5.1

5.1.1

5.1.2

()

DHM



5.2



5.2.1"





" 0.75UDC1mA"

75%






“ ”

“ ”

“ ”


5.2.2 “ ”



“ ”

“ ”

“ ”




100

1.1



5.2.3"



1.000mA

5

0.75U1mA

5

225

027-83267669



避雷器试验 试验结果

U1mA电压 kV

I1mA电流 mA

U0.75mA电压 kV

I0.75mA电流 mA

“ ”
 “ ”
 “ ”
 “ ”

5.2.4”

阶段试验 参数设置

1阶段	<input type="text" value="10.0"/>	kV	<input type="text" value="10"/>	S	4阶段	<input type="text" value="40.0"/>	kV	<input type="text" value="10"/>	S
2阶段	<input type="text" value="20.0"/>	kV	<input type="text" value="10"/>	S	5阶段	<input type="text" value="50.0"/>	kV	<input type="text" value="10"/>	S
3阶段	<input type="text" value="30.0"/>	kV	<input type="text" value="10"/>	S	6阶段	<input type="text" value="60.0"/>	kV	<input type="text" value="10"/>	S


保护电压 kV 保护电流 mA 升压速度 ▾

0



赫兹电力

产品宗旨：技术领先，质量可靠，轻便易用
服务宗旨：快速响应，达到满意，超过期望






5.2.5




5.2.6






测电缆




2

测变压器






3




4





- 1
- 2
- 3
- 4
- 5
- 9V
- 6
- 1
- 2





1

20

2

1		1	
2		1	
3		1	
4		1	
5	(200K)	1	
6		1	
7		1	
8		1	
9		1	
10	U	1	
11		2	
12		5	
13		1	
14		1	
15		1	



”

”

”

”

1

2

1.

2.


1

2

3

027-83267669

4



24

24

48